

SUPPLEMENTAL LABELING

3336[®] WP

EPA Registration No. 1001-63

Now For Use on Listed Vegetables grown as transplants or ornamentals

DIRECTIONS FOR USE ON VEGETABLES

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read this label and the product package label before using this product. This Supplemental Labeling must be in the possession of the user at the time of pesticide use. Follow all other applicable directions, restrictions and precautions on the registered product label.

3336 WP may be used for the effective control of various plant diseases on the following vegetable groups: Cucurbits and Beans. See tables below for complete description of crop, disease and application information.

Commercial Horticultural Applications

VEGETABLE TRANSPLANTS: Not intended for field vegetable production.

Vegetable Transplants	Diseases Controlled	Rate of 3336 WP	Remarks
Beans, dry and succulent including: Lima bean, Snap bean, Kidney bean, Mung bean, Navy bean, Pinto bean, Wax bean, Broad bean, Fava bean, Asparagus bean, Blackeyed pea, Cowpea, Sweet lupine, White lupine, White sweet lupine, Grain lupine, Chick pea, Garbanzo bean	Anthracnose <i>Colletotrichum</i>	2.1 – 2.8 lbs/Acre ¹	For one application: Apply when 100% of plants have at least one open bloom or when conditions are favorable for disease development.
	Gray Mold <i>Botrytis</i>	or	or
	White Mold <i>Sclerotinia</i>	1.4 – 2.1lbs/Acre ²	For multiple applications: Make the first application when 10% to 30% of plants have at least one open bloom and follow with sequential applications on a 4 to 7 day interval. Apply prior to the development of disease for best results.
			Do not apply more than 5.6 lbs. of product (2.8 lbs a.i.)/A/season.
			Pre-harvest interval: California only , 14 days for succulent beans, 28 days for dry beans and lima beans.
			Pre-harvest interval: all other

			States , 14 days for succulent beans and lima beans, 28 days for dry beans.
CUCURBITS (Cantaloupe, Casaba, Cucumbers, Melons, Pumpkins, Summer and Winter Squash, and Watermelons).	General information		Do not apply more than 4.2 lbs. of product (2.1 lbs a.i.)/A/season from any combination of application timings. Follow resistance management guidelines under Directions for Use.
	Anthracnose* <i>Colletotrichum</i> Gummy Stem Blight* <i>Didymella</i> Powdery Mildew <i>Erysiphe,</i> <i>Sphaerotheca,</i> <i>Podosphaera</i> Target Spot* <i>Corynespora</i>	0.7 lbs/Acre ³	Begin applications when plants begin to run or when disease first appears, and repeat at 7 to 14 day intervals or as needed. For Target Spot use at 7 day intervals as needed.
	Belly Rots* <i>Rhizoctonia,</i> <i>Fusarium</i>	0.7 lbs/Acre ³	Apply in sufficient volume to allow runoff to the soil. Will not control <i>Pythium</i> or <i>Phytophthora</i> .

* Not for this use in California.

¹ Apply, for example, in 50 – 200 gallons of water per acre. In volumes of water below 50 gallons, use a minimum of 2.1 pounds per acre. If more than 200 gallons of water per acre are required for good plant coverage, apply a maximum rate of 2.8 pounds per acre. For example, if 200 gallons of water are required, use 1.4 pounds per 100 gallons.

² Apply, for example, in 50 – 200 gallons of water per acre. In volumes of water below 50 gallons, use a minimum of 1.4 pounds per acre. If more than 200 gallons of water per acre are required for good plant coverage, apply a maximum rate of 2.1 pounds per acre. For example, if 200 gallons of water are required, use 1.05 pounds per 100 gallons.

³ Apply, for example, in 50 – 200 gallons of water per acre. In volumes of water below 50 gallons, use at a rate of 0.7 pounds per acre. If more than 200 gallons of water per acre are required for good plant coverage, apply at a rate of 0.7 pounds per acre. For example, if 200 gallons of water are required, use 0.35 pounds per 100 gallons.

KEEP OUT OF REACH OF CHILDREN
CAUTION

For First Aid and other Precautionary Statements, see label attached to container.

Cleary Chemicals LLC
 178 Ridge Road, Suite A
 Dayton, NJ 08810
 (800) 524-1662
www.clearychemical.com